

Figure 1A




Figure 1B




Figure 2




Figure 3A

```
130
```

```
/** Vector Attributes */
string vectorName; 135
string vectorType;
string parentAS;
```

Figure 3B

150

```
/** Header variables */

// Add input variable declarations

Object headerVar[]; ISS

/** Trailer variables */

// Add output variable declarations

Object trailerVar[]; 160
```

Figure 3C

```
/** Vector Constructor Method: Construct an actor with the given vector name */
   public udmVectorClassName (string vectorName, udmVector inVector[], udmVector
outVector[])
      // Call constructor in base class
        super(vectorName, parentAS, inVector, outVector);
        // Perform any initialization that needs to be done in the constructor
    /** This method contains the actual behavior of the vector */
    private boolean vectorRyn()
        // Perform the vector processing
        return true; // (or false if you want to terminate the thread)
    /** This is the invocation method that checks to see if the vector is ready to run */
    private void vectorInvocation()
        while ( !headerDataReady() ) vectorWait();
    }
    /** Get the header input data */
    private void getHeaderInput()
                                   -178
        // Get input data from interconnect vector
        headerData = vectorGet();
    /** Send the trailer output data */
    private void sendTrailerOutput()
        // Send output data to the interconnect vector
        vectorSend( trailerData );
    }
     /** run is the method that is started by Java when the thread is started */
    public void run()
                        -182
        boolean runThread = true;
         // Initialize the vector
         initialize();
        while ( runThread )
             // Call invocation method
             vectorInvocation();
             // Get input data
             getHeaderInput();
             // Do the processing for the vector
             runThread = vectorRun();
             // Send output data
             sendTrailerOutput();
         // Perform final cleanup before vector thread exits
         wrapup();
     }
```

Figure 3D





Figure 4






Figure 5B




Figure 6




Figure 7